

Plastics

HOTLINE

March 2021

rdgmedia
PUBLICATION

In This Issue: Machinery Network 18 | Lesitritz 13 & 17 | Polymark 13 | Versa Machinery 16

Model V3-2R-85T Vertical Injection Molding Machine

- 85 Metric Ton Vertical Clamp (93.5 US Ton)
- Vertical Injection Unit with a 40 mm diameter Screw and Barrel,
- 165 gram (5.8 ounce) Injection Capacity based on PS material.
- 38.5 inch diameter Oscillating Rotary Table for 2 Station Operation
- Control Unit: Omron PLC and HMI
- 480V, 3ph, 60 Hz



25% Price Discount for Vertical Clamp Injection Machine Display at NPE Show
In Stock/Immediate Delivery

New Pacific Machinery, Inc. has been selling high quality injection molding machines for Multiplas Enginery Co. Ltd. since 1989; over the last 29 years NPM has sold close to one thousand Multiplas machines, in the United States, Canada and Mexico.

- Automation systems designed and manufactured to your specifications and requirements
- Prove run on-site in the factory for customer's approval before shipment to USA
- Machine, Automation system & Molds can be integrated and furnished as a complete turn key operation
- Factory Engineers will perform the start-up in your facility



NEW PACIFIC MACHINERY, INC.
P.O. Box 467 • 1264 Hwy 45 Bypass • Trenton, TN 38382 USA
Tel: (731) 855-3941 • Fax: (731) 855-2140
email: NEWPACIFIC@PRODIGY.NET

Introducing

TecFlexTM

Putting the Flex in Metal HoseTM



***Lighter weight
for worker safety.
Reduces heavy
lifting injuries.***



See the difference! Up to 25% more flexible than lined metal hose. The characteristics of smooth bore in a single strip!*

LEARN MORE OR GET A QUOTE AT:

tecflex.kuriyama.com



**Patent Pending*



Kuriyama of America, Inc.

sales@kuriyama.com tecflex.kuriyama.com





“The Name Says It All!”

Purge Right is not just another Purging Compound,

Purge Right is **The Purging Solution You Can't Afford** Not to TRY!

- Purge Right works with Extrusion, Injection Molding and Blow Molding!
- Purge Right cleans Barrels, Screws, Accumulators, Hot Runners and Heads
- Purge Right works on all resins operating between 340°F and 610°F
- Purge Right eliminates the need to stock several grades.



Contact us to Request a **FREE** Purging Compound Sample

Does Your Acrylic & Polycarbonate **SHINE?**

Purge Right™ Clear purges use crystal clear carriers and proprietary chemical agents to remove carbonized and residual contamination on injection molding, extrusion, and blow molding equipment.

Purge Right™ Clear Purging Compounds, Purge Clear™ line is formulated to specifically eliminate cloudiness, streaking, black specs and hazing in clear applications.

Stop purging your clear resins with a product that was made for colors. What you need is The Worlds Only Clear Purge that was designed to make your products crystal clear, **Purge Clear™**.



Purge Clear™ PRC-8000 was developed specifically for use with machinery that processes clear acrylic such as headlight enclosures.

Make Plans Now To Come See Us At **NPE 2021**

www.PurgeRight.com

724-739-3287 • sales@purgeright.com




Please Call Plastic Solutions International LLC for All Your Clear or Colored Purging Needs

The perfect blend. Every time.

More than fair shares.

Cart-based Plastrac blenders move between machines to simplify color changes and reduce scrap, especially on short runs.

To help custom molders achieve extreme efficiency, Plastrac offers fully independent single and dual cart-based blenders that can be shared between multiple machines. They are based on the value proposition of a single virgin feeder and two different color feeders with shared controller and blower system, typically operating independently with either manual color filling or an automated color loader. Operators will be able to switch colors electronically. All parts of our cart systems are easy to connect and disconnect for fast changeovers and setups.



On the fly Color Changes. PDQ.

There are a lot of features that distinguish a Plastrac blender, but none greater than the ability to change colors as often and as quickly as customer orders demand it. The secret is our level-sensing vane switch (standard on every single blender). Harried processors can hurry up color changes by swapping top castings without any need for cable removal.



Easy does it blending.

Now. And down the road.

Plastrac designs and builds blenders to uncomplicate life for our customers. They are simple to set up. Simple to operate. Simple to adapt in the field. Simple to expand in the future. Let's say you buy a two-component (color + additive) system now, but a few years later, you need to make it a multi-component system. Plastrac blenders are all entirely modular, so you won't be locked into the original configuration if your needs change or grow. What's more, all our parts, mechanical and electronic, are

always well stocked, because we don't think your present or future operations should include downtime.



plastrac

610-356-3000 • Plastrac.com

PVC PIPES

CABLES

POLYOLEFINE
PIPES

COMPOUNDS

PROFILES

INDUSTRY 4.0



Made in Italy Quality

EFFICIENCY AND EXTRA POWER

EXTRUSION LINE DESIGNED FOR YOUR FACTORY



bausano

Your Extrusion Allies

www.bausano.com

BARREL BORE GAUGES

Checks IDs $\frac{3}{4}$ " – 24"

Checks barrel lengths to 30'



Over 30 years experience
designing, manufacturing, rebuilding,
Screws and Barrels.

For Injection, extrusion and mold molding.

FLITE
TECHNOLOGY

www.flitetech.com

toll free: (800) 327-9310

phone: (321) 631-2050

fax: (321) 636-3508

INNOVATIVE ROBOTICS LINE FOR PLASTICS INJECTION MOLDING !

H5 Series !

Heavy Payload , Low ceiling !

H5 SERIES

- Molding Machine Size : 750 ~ 4,000 Tons
- Full Servo Robot up with 5 Axis AC Digital Servo.
- Industry First !. reverse (1 Axis) + Articulated Robot (4 Axis)
- Heavy Payload, Low ceiling & Less foot print
- Application : Basic Take out, Stacking, Insert Over Molding, Gate cutting, 2ndary automation!
- Features : High Strength Steel Frame, Powerful AC servo Motor, High Precision NSK Liner Motion Guide.

H5-C10 Controller

- 7" Wide Touch Screen
- ARM Cortex-A8 CPU, DDR2 512 MB
- Body Attached I.O box
- High-Performance EtherCAT Communication
- User-Friendly Icon-Based Control Screen.
- Developed with 30 years experience in the plastics molding industry.
- CE Certified Components, ISO 9001 Quality Production.

EPIK SERIES (Single or Double Arm Model)

- Molding Machine Size : 200 ~ 800 Tons
- Single or Double Arm Model (3~7 Axis AC Servo Control)
- Control : HYK-70 (Keba) Controller
- Application : Basic Take out, Stacking, Insert Over Molding, In Mold Labeling and Other 2ndary Automation, Sprue Picking
- Features : High Strength Steel Frame, High Strength AC servo Motor, Low Noise NSK Liner Motion Guide

HYK-70 (KEBA) Controller

- 7" Wide Touch Screen
- 1.2 GHz, ARM Cortex-A9 Core
- Ergonomic Design,
- High-Performance EtherCAT Communication
- High Quality Components, ISO 9001 Quality Production.
- User-Friendly Icon-Based Control Screen.
- Mode and teaching type programming for beginner mode
- Line by line programming for expert mode

ISO9001 QUALITY

CE CERTIFIED

EPIK-W SERIES (Flat Front Style Robot)

- Molding Machine Size : 400 ~ 4,000 Tons
- Flat Front style Robot with Single Arm Model
- Control : HYK-70 (KEBA) Controller
- Application : Basic Take out, Stacking, Insert Over Molding, In Mold Labeling and Other 2ndary Automation.
- Features : Longer parts handling, Low ceiling.

UNIK- SERIES (Mini Servo Robot)

- Molding Machine Size : 50 ~ 200 Tons
- Single or Double Arm Model
- Control : HYK-70 (KEBA) Controller
- Application : Take out, Stacking, Gate cutting, 2ndary Automation, Light Application.



HYROBOTICS CORP.

5319 BROWN AVE. ST. LOUIS MO 63120, USA

WWW.HYROBOTICS.COM





VOLTBUSTER™

Superior Static Protection™

New Tigerflex™ Voltbuster™ Hose Designed for High Static Applications

Superior Static Protection! – Innovative design handles high static generating applications such as powders, pellets and other granular materials.

Durable Construction – food grade polyurethane tube resists abrasion and provides longer hose life versus rubber or PVC hoses.

Transferred Material Purity – Grounding wire encapsulated in external helix, no risk of metal shards contaminating the transferred materials.

Easy to Handle – Lightweight and flexible for worker safety. Remains flexible in sub-zero temperatures.



Kuriyama of America, Inc.



847-755-0360 | www.kuriyama.com | sales@kuriyama.com

Highest Conveying Capacity

- Continuous push / pull conveying
- Plastic pellets, powders & fly ash
- Exclusive dual blower design
- Low temperature rise
- Blow to silos / fill trucks & railcars
- Up to 135,000 lbs / hr thru 6" line




Christianson

Pneumatic Conveying Equipment

800-328-8896

www.christianson.com



Temperature Control Units

Water Units : up to 300°F at 35-100 GPM

Oil Units : up to 500°F at 20-100 GPM

Over 30 Years Experience
in Temperature Control
Unit Production!



Dual Zone Dolly

Water Units
Some units in stock
Call for information

Oil Units

Stacking Stand

Low capital investment, simple start up & operation, easy to maintain, microprocessor control instruments that are easy to read and understand, factory sales and service support along with new product warranties are the reasons why TempTek water and oil products are superior. Call now for Pricing & Delivery!

317-887-6352

www.TempTek.com

525 East Stop 18 Road
Greenwood Indiana 46143

TEMPTEK

ASK FOR CLEAN PLAST® PURGE COMPOUNDS AND NEWLY RELEASED MOLD CARE PRODUCTS!



“DON’T just purge to purge, PURGE TO CLEAN using the original **CLEAN PLAST®** purging compound. Contact me today to arrange for a FREE purge trial at your plant and see the difference a **CLEAN PLAST®** PURGE will make.” –*Rochelle Lemieux, President*

- **CLEAN PLAST®** is safe to Purge through Hot Runners including pre-form molds!
- **CLEAN PLAST®** is safe for all resins including PET Bottle grade.
- **CLEAN PLAST®** has no harmful abrasives or solvents!
- **CLEAN PLAST®** ingredients are GRAS by the FDA.
- **CLEAN PLAST®** cleans Screws, Barrels, Accumulators, Hot Runners and Stack Molds.
- **CLEAN PLAST®** can be used in Injection Molding, Extrusion, and Blow Molding.





MOLD CARE



Along with purging products, Clean Plast® also offers a line of mold care sprays that can be used for mold and tool applications. Our mold care products consist of: CPMC100 Mold Cleaner and Degreaser, our environmentally friendly CPMC101 Go Green® Mold Cleaner, CPMC200 Mold Rust Preventive, CPMC300 Heavy-Duty Mold Release, CPMC301 Food Safe Mold Release, and CPMC400 Silicone Mold Release. Contact us for more information and a free sample!

Visit us at: www.CLEANPLAST.com

A 100% Woman Owned Business



Reveal the Quality of your Mold Cooling Media

Tracer[®]_{VM} Flowmeters

Local




Tracer_{VM} with User Interface displays cooling water condition

- FCI Technology (Fluid Condition Indication)
- Reynolds Number Display
- Flow and Temperature Display
- Accurate Vortex Shedding Sensor
- Flow Ranges 1 to 15LPM through 10 to 200LPM
- High Visibility Color LCD Screen
- Totalizing Function
- Connects to Data Acquisition Systems using Voltage Outputs
- Programmable Switch for Process Limits

Remote



PC, PLC or Mobile Device



Tracer_{VM} Base

- Flow Rate and Temperature Analog Output

Use with SMARTLINK[™] Tracer_{VM} Interface


- View Multiple Meters on One Screen
- Data Logging for Process Validation



In Support of Scientific CoolingSM Principles

burger & brown

4500 E 142nd Street
Grandview MO 64030 USA
816-878-6675



SMARTFLOW[®]

engineering, inc.

www.smartflow-usa.com

RAPISTAK
CORPORATION

Go from this...



Our mold management systems are designed to save you space, time and money.


Visit our website or give us a call to learn more about how we can help you with your die or mold management needs.

716-822-2804 | www.rapistak.com

MORE THAN JUST STORAGE!

- * Manage your inventory
- * Become better organized
- * Protect your investment
- * Maximize cube utilization
- * Create a safer working environment

To this!



Leistritz

ZSE-MAXX


Twin screw extruders and systems

- Higher torque & more free volume
- Screw diameters from 12 to 260 mm
- Fully equipped NJ process laboratory

e-news

Twin Screw Report

For more information on Leistritz
Twin Screw Report e-tech newsletter
scan QR code



Compounding • Devolatilization • REX • Direct extrusion • Foaming

sales@leistritz-extrusion.com / www.leistritz-extrusion.com

We Buy & Sell "POLYEVERYTHING"™

P
O
L
Y
M
A
R
K

All Recyclable Polymer
Materials Needed

Special Requirements Now:

- TPE/TPV Reg, Pell, Purge
- PET and PETG
- PC • Engineering Resins

All Colors • Any Quantity

Serving Clients Nationwide
and All Export Markets

POLYMARK™

1147 Willow Ave.

Marietta, GA 30067

PH: 770-952-1147

FAX: 770-951-2474

ron@polymark.com

Water Chillers

Over 30 Years
Experience in
Chiller Production!

Portable Chillers : .25-40 tons at .7-92 GPM

Indoor Portable Chiller ... Air or Water Cooled ... some units in stock to 20 tons.

Central Chillers : 5-180 tons at 48-540 GPM

Indoor & Outdoor units ... Air or Water Cooled

Complete chiller & pump system packages or stand alone chilling modules.



Portable Chillers



Central Chillers

Low capital investment, simple start up & operation, easy to maintain, microprocessor control instruments that are easy to read and understand, factory sales and service support along with new product warranties are the reasons why TempTek water products are superior. Call now for Pricing & Delivery!

317-887-6352

www.TempTek.com

525 East Stop 18 Road
Greenwood Indiana 46143

TEMPTEK

**PUR-
FECT
PLASTICS**

**NEW, USED, REBUILT
Blowmolding Machines**

**Serving the Industry
Over 40 Years!**

MAJOR INVENTORY REDUCTION

After over 40 years of rebuilding and servicing blowmolding machines we are sizing down our operation, to do so we are in the process of **COMPLETELY LIQUIDATING** our parts and machine inventory.


Check our website or email us if you do not see what you need. We are now putting our efforts into cabinet and hydraulic tank upgrading.



BEKUM H-202
100mm High
Output Extruder

Need an alternative to other high cost
blow mold machines? We have been
importing Chinese machines since 1987.
LET ME QUOTE ONE

BEKUM H-202
In Process
of Rebuild
2x180/240 CD Head



Shop Phone: 707/765-6475 - Text: 707-975-3725

E-mail: purfectplastics@aol.com • www.purfectplastics.com

Contact: Dennis Purwin - Cell 707-975-3725 • 1320 Scott Suite C, Petaluma, CA

**FOLLOW "MOLDMAN2010" on EBAY for
LIQUIDATION "BUY IT NOW" and "AUCTION" listings**

RECHNER SENSORS CAPACITIVE LEVEL CONTROL



www.rechner.com - 1-800-544-4106 - Sanborn, NY

Plastics HOTLINE

**Visit our Buyers'
Guide to find
industry suppliers
for all of your
plastics needs.**



**Get Listed In Our Buyers' Guide
both in Print and Online!**

Suppliers: Reserve your company's listing today to be listed all year online and in the August 2021 print edition. The sooner you reply, the longer your listing will be seen in the *Plastics Hotline* 2021 Buyers' Guide. There is a range of listing options for the entire year online and in the August printed issue...this puts your company in front of more than 90,000 buyers.

All listings include a live link to your website.

Contact Lydia Stewart at lydia@plasticshotline.com to get a listing form.

www.plasticshotline.com/buyers-guide

TELAR Loaders

**Stainless Construction ✓
Auto Filter Cleaning ✓**

**Microprocessor Control ✓
Amber Warning Light ✓**



**Hopper Mount - E3
\$745**



**Sight Tube - EV3
\$1,050**



**Proportioning Valve
for Regrind \$570
includes wand & hose**

**All Loaders & Spare Parts In Stock
Same Day Shipping**

TELAR CORP.
www.telarcorp.com

Email: info@telarcorp.com • Tel: (440) 748-0300



IMPROVED PROCESS EFFICIENCY

DURABILITY

Our extruders provide a greater stability and longer system life that help maintain a healthy bottom line.

QUALITY

Our years of experience are reflected in every filter that we build. This leads to a superior filter to anything else on the market.

EXPERTISE

Our technological skills and expertise allow us to build the pelletizing die you need for your operation.

TECHNOLOGY

We have mastered the design and construction of water baths, giving our customers an edge in their extrusion business.



EXTRUDERS • SCREEN CHANGERS • PELLETIZERS • AIR STRIPPERS • WATER BATHS



CONTACT US TO SPEAK TO AN EXTRUSION EXPERT

Working together to provide solutions today for tomorrow's demands

Worcester, MA, USA | Phone: (508) 852-0040 | www.berlynecm.com

REPS WANTED - PLEASE CONTACT US



Bruce Meyer
Blow Mold Engineer

P.O. Box 1373
Huffman, TX 77336

Ph/Fax: 281-324-5031
Cell: 281-831-2072

**Need Training?
Call the Doctor!**

BlowmoldDoc@verizon.net
www.BlowmoldTraining.com

Garden City Plastics
Equipment & Supply Co., Inc.

Garden City Plastics Equip.
104 Lake Rd. Garden City, MO. 64747
816-862-8703, www.gcplastics.com

For Sale:

- Akei AO-70
- Bekum H-111
- Bekum H-121
- Bekum H-151
- Bekum H-201-D
- Fischer FHB-106-1&2
- Magic MGL-5
- Uniloy 2016, 250R, 350R2, 2, 4 & 6 Heads
- Jomar 175-Ton IBM
- Chillers, Grinders, Marley Towers & Tanks
- High Pressure Air-Compressors

Blow Molding Machinery, New, Used, Rebuilt. Parts, Service, Technology and Training Classes

Check out website: www.jackson-machinery.com Or Call 262-284-1066



Alphamac
All Electrical

Sterling

HAYSEN



INDUSTRIAL HOSES For the Plastics Industry




**AIRDUC®
PUR 355HT**

High-temperature, heavy duty, abrasion resistant suction and transport hose, 255°F




**AIRDUC®
PUR 355AS**

Heavy duty, abrasion resistant, antistatic suction and transport hose, 195°F




**AIRDUC®
PUR 356AS**

Super heavy duty, abrasion resistant, antistatic suction and transport hose, 195°F



**AIRDUC®
PUR 355 FOOD**

Heavy duty, abrasion resistant, food and pharmaceutical hose, 195°F



**AIRDUC®
PUR 350 FOOD-AS**

Medium heavy duty, abrasion resistant, antistatic food and pharmaceutical hose, 195°F

Full Line **NORRES**
Distributor

plastiXs
manufacturing solutions

QUICK QUOTES
sales@plastixs.com
888.792.2223

Plastic Extrusion Tools Fast!



40+ EDM machines &
20+ CNC machines running 24/7

PLASTIC EXTRUSION TOOLING BUILT IN 1 WEEK!

Quotations within 24 hours...

Tooling production in 24 hours for most plate dies and transitions. Less than one week for many die, transition and calibrator tools.

New Jersey Precision Technologies, Inc.

Improving lives through manufacturing innovation.

1081 Bristol Road, Mountainside, NJ 07092
800-409-3000 • email: sales@njpt.com • www.njpt.com

BLADES

Machinery Co., Inc.

Tel: 847-439-2126 • Fax: 847-439-0917



www.bladesmachinery.com

e-mail: blades@bladesmachinery.com

THE GRANULATOR SUPERSTORE®

GRANULATORS

- (10) Wortex UP-730, 735, 755HS
- (3) Cumberland 30T, 56T
- Cumberland GP810
- (65) 8x10 Nelmor 5 HP
- (20) 9x12 Rapid 7.5 HP
- (2) Cumberland Model 18, 20
- (40) 10x12 Nelmor 10 HP
- (10) B&J BP27, BP32
- (6) Cumberland 1215
- (110) Nelmor 1215, 1220
- (1) B&J 1248 w/Feed Rolls
- (5) Conair CG1418, 1424
- (1) Rapid 1418K
- (2) 14x20 Cumberland 20 HP
- (14) Cumberland 284, 484, 584, 684
- (6) Cumberland 1426L, 60 HP
- (5) Nelmor 1436 w/Feedrolls, 1454
- (6) 24B Cumberland 75 HP
- (4) Cumberland 1456
- (8) Cumberland 1616, 1620, 1628
- (6) Nelmor 1620, 1624, 1628
- (6) 28B Cumberland 75 HP
- (9) Rapid 1824, 1831, W-1824, W-1836
- (4) Nelmor 1820, 2020
- (3) Cumberland 1836
- (10) 37B Cumberland 37H
- (3) CMG 1842I
- (2) Granutech 2048, 100HP
- (4) Cumberland 50B, 72B
- (2) TRIA 120-49 w/Feedroll
- (2) Cumberland 2428I
- Cumberland Model 80, 81
- Foremost HD-7
- (4) Rapid Model 2442R, RS M, H
- (1) Cumberland X-700
- Ball & Jewel 3030 (100 HP)
- 26x80 Condux 150 HP
- (3) Nelmor 3036, 3048, 3030TF
- (3) Cumberland 3237, 3250, 3284
- (1) Condux CV-50 Compactors

SHREDDERS

- Lindner MS-2000
- Satrind Shredder 100" K25/100
- (1) Vecoplan VH34/75CW
- (1) Vecoplan RG62
- (2) ShredTech ST 10, ST 25
- (1) B&J SB-15 Shredder
- (1) B&J SB10/615 Shred Buster
- (1) Vecoplan VH22/100CW
- ShredPax AZ-80

THERMOFORMING LINES

- (1) Brown CS-4500, 1995 w/Trim Press
- Brown Trim Presses: T-301, T-340, T-360
- Lyle 40"x40", 50"x50"

TEMP. CTRL., UNITS CHILLERS

- (7) Sterlco 12 KW Oil Unit
- (6) Thermocare 2, 3 Ton
- Advantage 12KW Oil, 10 KW Water

PELLETIZERS

- (8) Cumberland 6", 8", 20"
- (4) Conair 2065, T208
- (3) Automatik Sphero 220

- (2) Gala SLC-6 System
- (2) Beringer WRP-12
- (2) Sheer Bay SGS 100E, 300L
- (1) Conair 3512GP long cut
- (1) Sheer Bay B20-P

DRYERS

- (3) Carter Day Spin Dryers
- (25) Conair CD30, CD100, CS101, CD-200, CD-300, CD-600
- (1) Novatec Novadrier N-150R Unitized
- Una-Dyne DHD-8, DHD-25 w/Hoppers
- (1) Novatec MPC 1000 Dryer

EXTRUDERS AND LINES

- (5) 1" Wayne Extruder, Killion
- (3) Davis Standard 1 1/2" Extruders
- Davis Standard 1 1/2" Extruder
- 2 1/2" Welex 30:1 L/D, 60 HP
- (5) Davis Standard 2.5" 32:1, 24:1
- Davis Standard 3" 24:1, 30:1
- 3 1/2" Egan Extruder 30:1
- 6" CDL Extruder, Vented, 30:1
- 6 1/2" Davis Standard 27:1, 1999
- Davis Standard 6" Sheet Line
- (60) Sheet Dies 4"-89" Width
- (6) EDI 20" PVC Siding Dies
- Davis Standard 52" 18x30x30 Roll Stack
- 24"x50" PTI Roll Stack, 2000 Vintage
- AET 6" 24:1 Extruder
- 6" 30:1 Prodex Pelletizing Line
- 78" PTI Sheet Line
- Davis Standard 4 1/2" 20:1 Rubber Extruder
- 8" Davis Standard 24:1 Extruder

JUST ARRIVED:

- Leistritz 50mm Extruder
- Rapid Model 200-36 w/Feedrolls
- Gala/Leistritz Extruder 27mm
- Berstorff 25mm Extruder
- Erema KA800/63 Film Reclaim Line
- (7) 8" Screen Changers
- Granutech TFG3636 Granulator
- (2) Witte Screeners
- 200 HP Champion Hammermill
- Sprout SW26 Pelletmill
- CME C5 Cooler
- Herbold SMS 60/100 H5-3
- Herbold SMS 45/160 H5-2
- ShredTech ST-10 with Trommel
- (2) New Cumberland 37B
- Cumberland 56U, 30 HP
- (1) Gnuess Screen changer
- (1) ProceDyne TCF-2430 FD
- Rosenthal Sheeters 36", 60", 72"
- Herbold SMS 60/100 w/Conveyor
- Herbold SMS 45/120
- Pallman PP8 Pulverizer

PIPE & PROFILE EQUIPMENT

- CDS 4 Belt Puller
- S.I.C.A. 10" Planetary Saw
- Battenfeld Upcut Saw
- (1) CDS SS 23' Vacuum Spray Tank
- Battenfeld 6"x56" Puller
- (5) Vacuum Tanks

"IN STOCK" • OVER 15,000 KNIVES, SCREENS & PARTS

Better Plastic Solutions Inc.

Novatec Additive
Feeders 3 Available

Motan 450 cfm Multi Hopper Dryer
System. Hoppers sizes 30-200 lbs.

Novatec Portable Dryers 25-100 cfm

2012 Rapid 75 hp Granulator,
5 Knife Rotor, 3 Bed Knives,
18" x 48" Throat

Thermal Care 90 ton water
cooled chiller with pump tank

3-5 ton Thermal Care Portable
Air Cooled Chillers

Koolant Koolers 7.5 ton Air
Cooled Chillers 3 Available

www.bplasticsolutions.com
Contact: Ben @ 612-940-2774

The Most Accurate Cutter/Puller System Available For Extruded Products



The Model
S1ACT-218
Servo Cutter/
Servo Puller
System Holds
+/- 0.005" Cut
Length Accuracy
Cutting Most
Plastic and
Rubber Extruded
Materials

VERSA MACHINERY

4850 Green Ct, Elkhart, IN 46516

Telephone 574-266-0780

Fax 574-266-0762

www.versamachinery.com



Leistritz

ZSE-MAXX

Twin screw extruders and systems

- Higher torque & more free volume
- Screw diameters from 12 to 260 mm
- Fully equipped NJ process laboratory

e-news

Twin Screw Report

For more information on Leistritz
Twin Screw Report e-tech newsletter
scan QR code



Compounding • Devolatilization • REX • Direct extrusion • Foaming

sales@leistritz-extrusion.com / www.leistritz-extrusion.com

TELAR Loaders

Stainless Construction ✓
Auto Filter Cleaning ✓

Microprocessor Control ✓
Amber Warning Light ✓



Hopper Mount - E3

\$745



Sight Tube - EV3

\$1,050



Proportioning Valve
for Re grind \$570
includes wand & hose

All Loaders & Spare Parts In Stock
Same Day Shipping

TELAR CORP.

www.telarcorp.com

Email: info@telarcorp.com • Tel: (440) 748-0300



Vecoplan® OEM PARTS

WHEN ONLY THE BEST WILL DO



CUTTERS



COUNTERKNIVES



WIPERS



GUIDE RAILS

- Genuine Vecoplan Replacement Parts
- Thousands of Items Ship Next Day

- Representatives Ready to Help
- Competitive Prices

CONTACT THE VECOPLAN PARTS TEAM

P: 336-290-7997 E: parts.us@vecoplan.com

5708 Uwharrie Road, Archdale, NC 27263 • www.vecoplanllc.com

MN Machinery Network

We specialize in buying and selling the following types of machinery:

- Injection Molding Machines
- Extruders and Related Recycling Machinery
- Blow Molders
- Auxiliary Equipment
- CNC and Conventional Metal Working Machines
- Water Jets
- And More

Call us at 818-465-6700 for a confidential evaluation of your machinery. We are interested in buying a single piece of machinery or your entire plant.

USED MONTHLY SPECIALS

3300 ton 580 oz	Ube mfg	2007
935 ton 126 oz	Toshiba mfg	2002
730 ton 89 oz	Van Dorn mfg	2007
500 ton 89 oz	Van Dorn mfg	2002
495 ton 33 oz	SUMITOMO, electric	2007
400 ton 50 oz	Engel	1997
300 ton 34 oz	Cincinnati	1999
110 ton 4.8 oz	Cincinnati Roboshot mfg	1998
38 ton 1.3 oz	DEMAG	2001

ROBOT – STAR & YUSHIN AS NEW AS 2012

EXTRUDERS – 3" & 6" DAVIS STANDARD 1997

GRANULATORS – 40 HP, 10 HP, 7.5 HP, 3 HP
RAPID AS NEW AS 2019

DRYER – AEC AND DRI-AIR AS NEW AS 2013

MN Machinery Network

plasticsales@machinerynetwork.com
818-465-6700 www.machinerynetwork.com

Air Cooled Portable Chillers

Reliable and Durable

2–100 ton. in capacity



24/7 SUPPORT

COLD SHOT CHILLERS

Your source for economical and dependable industrial water chillers.

Learn more: 1.800.473.9178 www.waterchillers.com

GRINDING

CUSTOM

- GRANULATION/COARSE GRINDING
- PULVERIZING/FINE GRINDING
- CRYOGENIC GRINDING
- SIFTING/CLASSIFYING
- BLENDING/MIXING
- REPACKAGING

AllgrindPlastics
P.O. Box 363
Bloomsbury, NJ 08804
908-479-4400
web site: www.allgrind.com
e-mail: info@allgrind.com

CUTTING EDGE KNIVES

SPECIALISTS IN ALL MAKES AND MODELS OF KNIVES FOR THE PLASTIC INDUSTRY

*Granulator Knives	*Pelletizer Knives	*Specialty Blades
*Under Water Pelletizer Knives	*Pulverizer Discs	*Granulator Screens
*Refurbish Your Grinders	*Sharpening	*Die Face Resurfacing


Call Today • 1-800-508-9701 • 412-279-9350
cuttingedgeknife@aol.com

Plastics HOTLINE

CHECK OUT OUR WEBSITE!
www.plasticshotline.com

ROW ELECTRICAL EQUIPMENT INC.

P.O. Box 2812 • Toledo, Ohio 43606 • 419-248-4479 • 800-248-4479
Fax No. 419-244-8887 • sales@rowelectrical.com • www.rowelectrical.com



100,000 Sq. Ft. Warehouse
We sell new and used industrial electrical equipment, including:

• D.C. and A.C. Motors	• Switchgear
• D.C. Drives	• Gear Reducers
• A.C. Starters	• 1 HP Thru 3500 HP
• Transformers	• Engine-Gen. Sets

CALL 24 HOURS • WE BUY USED ELECTRICAL EQUIPMENT



United Plastics, Inc.
1227 Garfield Avenue • Flint, MI 48505
PH: 810-238-2186 • FAX: 810-238-2273
email: roy@unitedplasticsinc.com
www.unitedplasticsinc.com

BUY/SELL:

Plastic and surplus regrind, repro, virgin materials, dunnage, trays, pallets, crates, parts, sheet, pipe, purge

SERVICES:

Washing & Drying Capabilities,
Toll Grinding 200,000 lbs. + per day

IMPROVED PROCESS EFFICIENCY

DURABILITY

Our extruders provide a greater stability and longer system life that help maintain a healthy bottom line.

QUALITY

Our years of experience are reflected in every filter that we build. This leads to a superior filter to anything else on the market.

EXPERTISE

Our technological skills and expertise allow us to build the pelletizing die you need for your operation.

TECHNOLOGY

We have mastered the design and construction of water baths, giving our customers an edge in their extrusion business.



EXTRUDERS • SCREEN CHANGERS • PELLETIZERS • AIR STRIPPERS • WATER BATHS



CONTACT US TO SPEAK TO AN EXTRUSION EXPERT

Working together to provide solutions today for tomorrow's demands

Worcester, MA, USA | Phone: (508) 852-0040 | www.berlynecm.com

REPS WANTED - PLEASE CONTACT US

BARREL BORE GAUGES

Checks IDs $\frac{3}{4}$ " – 24"

Checks barrel lengths to 30'



Over 30 years experience
designing, manufacturing, rebuilding,
Screws and Barrels.

For Injection, extrusion and mold molding.

FLITE
TECHNOLOGY

www.flitetech.com

toll free: (800) 327-9310

phone: (321) 631-2050

fax: (321) 636-3508

EXTRUDERS Save Big \$\$\$

Eco-PRO **Cool EX**

All-Organic Cleaning and Maintenance for Cooling Water Systems



Designed to optimize closed-loop cooling water systems, the **new iD Cool EX** products are the next step in cooling line cleaning and maintenance for your plastics machinery and equipment!

- **Cool EX 7:54 Industrial Coolant** for safe and effective scale and metal oxide corrosion product cleaning
- **Cool EX coolant** inhibits corrosion, mineral scale, and fouling

**Free
Water Sample
Testing!**
Contact us for
details

Contact iD Additives today for more information
(708) 588-0081 • iDadditives.com



iD Additives™

Connect
With Us!



Check Out Our
YouTube Videos!



Unmatched Technical Support for Innovative Products!

iD Additives, Inc • 512 W Burlington Ave., La Grange, IL 60525