

In This Issue: Maguire 2 | Rechner Electronics 16 | Cold Shot Chiller 19 | Machinery Network 19

## BARREL BORE GAUGES Checks IDs <sup>3</sup>/<sub>4</sub>" – 24" Checks barrel lengths to 30'



Over 30 years experience designing, manufacturing, rebuilding, Screws and Barrels.

For Injection, extrusion and mold molding.



toll free: (800) 327-9310 phone: (321) 631-2050 fax: (321) 636-3508

**#ULTRADRYERSAVES** 

# MINIMUM ENERGY MAXIMUM SAVINGS

Desiccant Dryer

\$7,128\* ANNUAL COST TO DRY MATERIAL



\*Based on 220 pounds per hour, 6000 hours per year, kW cost at national average of \$0.12 per kW, measured at 80% of rated max throughput. This chart shows the excess energy required to dry the material.



# DRY BETTER

WITH



- \* Energy efficient, unique vacuum drying technology
- Ultra-low kW energy usage fast ROI and savings for a lifetime
- Faster drying, faster start-ups, minimal maintenance
- \* ULTRA Dryer smart features and controls
- Industry leading 5-year warranty

Want to save with the ULTRA Dryer? Call us now to find out more.

🔰 @MaguireProducts **in** Maguire-Products

MaguireProducts

info@maguire.com | www.maguire.com

USA Toll Free +1 888 459 2412 | Canada +1 905 879 1 100 | Europe +441827 338 280 | Asia +65 6848 7117 | IMEA +971 4 817 0419 | Taiwan +886 4 2658 1535

## PRODUCT SPOTLIGHT

#### M.R. Mold Achieves ISO 9001-2015 Accreditation



As part of its continual improvement efforts, M.R. Mold & Engineering is proud to announce their ISO 9001-2015 certification. M.R. Mold & Engineering recently acquired another mold maker's assets which included an opportunity to support the aerospace and defense industry. This ISO 9002-2015 certification will open the doors to new opportunities for M.R. Mold & Engineering.

M.R. Mold first opened its doors in 1985 in a 1500 square foot building. Thirty-six years later, the company occupies a state-ofthe-art 25,000 square foot facility in Brea, CA. The company has grown over the years and developed into one of the leading LSR mold builders in the USA. Recently adding a metal 3D printer to its operation, M.R. Mold looks to incorporate additive manufacturing into its everyday process.

The M.R. Mold Tech Center evaluates new molds built to ensure they are mechanically sound, make a part to print and are production ready. M.R. Mold also assists customers with short run molding. The Tech Center features six molding machines that range from 55 to 120 tons in size.

Visit www.MRMold.com to view all our capabilities.

-----

#### Manage Inventory Levels in Silos Without Climbing

Monitor Technologies' SiloTrackTM Cloud remote inventory management system is a web-based application that allows users to monitor current material levels in vessels, receive notifications, access/create reports and more at any location, any time using any

device with an Internet connection. Manage one silo or multiple locations with storage vessels. Securely view distance, level, volume, weight, percentage and ullages (empty space) for silos. Create and deliver customized reports as needed by various departments. It is an intuitive & powerful interface for Monitor's continuous level sensors.



For more details please visit www.monitortech.com, e-mail sales@monitortech.com or call 1-800-766-6486 (1-630-365-9403).



Stay up-to-date on all the latest auctions and tradeshows www.plasticshotline.com/auctions www.plasticshotline.com/tradeshows

#### New Nozzle Tips, Nozzle Caddie, And Wrench

Progressive Components now offers a patented Nozzle Tip featuring heat sinking fins to eliminate mold damaging stringing. To keep Nozzle Tips within reach, the Nozzle Caddie magnetically

mounts to the molding press. And, because removing and installing nozzle tips can be a real 'knuckle buster,' our Offset Slugging Wrench is the preferred tool for mold setup personnel.



www.procomps.com

#### Clean Plast<sup>®</sup>

With material prices skyrocketing, I have a solution to help you control your costs and maximize production. Contact me, Rochelle Lemieux, President and CEO of Clean Plast<sup>®</sup> Premium Purge Compounds and Premium Mold Care Products. I usu-



ally cut change over times significantly by using the correct grade of Clean Plast<sup>®</sup> Purge for the application. And, with on-site technical support it is a slam dunk winner for you in reducing costs and increasing output. When the production run is over, use Clean Plast® Premium Mold care products for cleaning and protecting the mold while in storage, or for a weekend shut down.

www.cleanplast.com

#### Hyrobotics Corp.

- Simple Pneumatic Take out robot from 50 ~ 250 Tons IMM
- HYRobotics TOPIV-TWIN SPRUE PICKING ROBOT.
- For 3 Plate Mold. 2 Plate mold also.
- Main arm for Vacuum, Gripper and Verification, Sub arm is sprue picking only ( 3 plate mold)
- Quick and Easy Self Installation / Set up
- Stock in St. Louis MO, USA.

www.hyrobotics.com/twintop



# YOUR SPECIALIST IN SIZE-REDUCTION TECHNOLOGY



# **Close to Our Customers**

## The global ZERMA network of branches and distributors

**ZERMA** 311 Era Drive Northbrook, Illinois 60062

847-291-1300 sales@zerma-america.com

www.zerma-america.com





## We help you do what you do... **BETTER**

## **BETTER** in Maintenance, Repair and Operations



#### INNOVATIVE ROBOTICS LINE FOR PLASTICS INJECTION MOLDING !



#### **H5 SERIES**

- Molding Machine Size : 750 ~ 4,000 Tons
- Full Servo Robot up with 5 Axis AC Digital Servo.
- Industry First !. raverse (1 Axis) + Articulated Robot (4 Axis)
- Heavy Payload, Low ceiling & Less foot print
- Application : Basic Take out, Stacking, Insert Over Molding, Gate cutting, 2ndary automation!
- Features : High Strength Steel Frame, Powerful AC servo Motor, High Precision NSK Liner Motion Guide.

#### H5-C10 Controller

- 7" Wide Touch Screen
- ARM Cortex-A8 CPU, DDR2 512 MB
- Body Attached I.O box
- High-Perfomance EitherCAT Communication
- User-Friendly Icon-Based Control Screen.
- Developed with 30 years experience in the plastics molding industry.
- CE Certified Components, ISO 9001 Quality Production.





HYROBOTICS CORP. 5319 BROWN AVE. ST.LOUIS MO 63120, USA WWW.HYROBOTICS.COM DASTIXS INNOVATIVE SOLUTIONS

## - For the Plastics Industry

AIRTECT - Plastic Leak Alarm System	HiTemp EPDM Hose
#1 Plastic Leak Alarm System - Early Detection is the	High Temperature Industrial Water Hose
Nozzle and hot runner mold protection up to 32 sensor locations with early detection of plastic leakage, fast ROI and 24-hr peace of mind!	Ideal for high temperature water lines for molds up to +285°F (+140°C), 215 PSI. Available in 3/8", 1/2", & 3/4" ID sizes and in red, blue and black.
Stainless Steel & Aluminum Manifold Assemblies	LinkedXValve™ (US Patent 10,160,149 B2)
<b>Designed and Built to Your Specifications</b> Expertly assembled using the highest quality components from SMARTFLOW <sup>®</sup> . Standard and custom sizes available.	Plastixs Patented Valve Linkage System Provides a single lever to operate both mold cooling supply and return lines simultaneously.
HiTemp Manifold & Hose Assemblies	Moldshields™ A
<b>Fully Integrated to Fit Your Application</b> Oil to 600°F or Water to 450°F. Turn-key manifold and hose assemblies. Designed and engineered to fit your high temperature applications.	Keep Parts off the Floor and Profits in Your Pocket Crystal clear construction allows you to see into your mold and monitor parts in production. Kit includes 2 side curtains, hardware and magnets.
HiTemp / High Wear Hoses from NORRES	Date Code Inserts
<b>Durable Industrial Conveying Hoses</b> Full line Norres distributor, featuring polyurethane, anti-static, food grade, high temperature, high wear material conveying hoses.	Unique Design Provides Trouble-Free Indexing Designed for rubber and silicone applications with the ability to withstand high temperatures, mold releases and reduce material flash.
X-PURE Water Supply System	Tigerflex Industrial Hoses
Plastixs Design to Eliminate Contaminants & the Damage They Cause Eliminates contaminants by supplying clean, distilled water for use in high-temperature water units that operate with water at 300°F-450°F.	World-Leading Industrial Hoses Manufactured in the USA Featuring PVC, urethane, rubber, food grade, anti-static, durable, flexible, long-lasting hoses that support a wide range of applications.
Morris Couplings and Components	SLIDE <sup>®</sup> Mold Cleaners, Releases & More
The Industry's Choice for Pneumatic & Vacuum Conveying Components Full line Morris distributor, featuring compression & gripper couplings, pipe & tubing straights, bends, wyes, tees, laterals & more.	High Quality & Specialized Products for Injection Molding, Extrusion & More Optimize cycle times, eliminate part defects, mini- mize downtime, and eliminate profit-killing plastics processing obstacles with products by SLIDE®.
SMARTFLOW® Manifolds	SMARTFLOW® Flowmeters
<b>Durable and High Quality Water Manifolds Made in the USA</b> Increase cooling efficiency and speed cycles by providing ample water supply to cooling processes. Aluminum and stainless steel and standard and custom sizes available.	Measure Flow Rate Effectively and Accurately Mechanical and electronic flowmeters available with a number of options including thermometers, pressure gauges, liquid-filled pressure gauges and quick change
	socket and plug.
	Solution! Nozzle and hot runner mold protection up to 32 sensor locations with early detection of plastic leakage, fast ROI and 24-hr peace of mind! Stainless Steel & Aluminum Manifold Assemblies Designed and Built to Your Specifications Expertly assembled using the highest quality components from SMARTFLOW®. Standard and custom sizes available. HiTemp Manifold & Hose Assemblies Fully Integrated to Fit Your Application Oil to 600°F or Water to 450°F. Turn-key manifold and hose assemblies. Designed and engineered to fit your high temperature applications. HITemp /High Wear Hoses from NORRES Durable Industrial Conveying Hoses Full line Norres distributor, featuring polyurethane, anti-static, food grade, high temperature, high wear material conveying hoses. X-PURE Water Supply System Plastixs Design to Eliminate Contaminants & the Damage They Cause Eliminates contaminants by supplying clean, distilled water for use in high-temperature water units that operate with water at 300°F-450°F. Morris Couplings and Components The Industry's Choice for Pneumatic & Vacuum Conveying Components Full line Morris distributor, featuring compression & gripper couplings, pipe & tubing straights, bends, wyes, tees, laterals & more. SMARTFLOW® Manifolds Durable and High Quality Water Manifolds Made in the USA Increase cooling efficiency and speed cycles by providing ample water supply to cooling processes. Aluminum and



Plastixs, LLC • 151 Memorial Drive • Suite H • Shrewsbury • MA • 01545 888-792-2223 • <u>www.plastixs.com</u> • <u>sales@plastixs.com</u>

# iD Purge

# **Eco-Friendly and Easy to Use**





## **Did You Know?**

iD Additives provides a full line of purge compounds for virtually any application. We offer pellet and liquid purge, with both chemical and mechanical properties.

Our compounds eliminate carbon build-up, degraded materials and cross-contamination of resins and colors for injection molding, extrusion and blow molding. **Features and benefits include:** 

- Super concentrates that work with any resin no need for multiple grades
- Mechanical grades for tougher clean outs for a wide variety of Engineered and Glass-filled materials
- All natural ingredients are GRAS by the FDA, non-abrasive, non-hazardous and environmentally safe

Contact us today to discuss your specific application and we will work with you to provide the best purge product for your needs.



## iD Additives offers FREE samples on all of our products and technical support from our experts!

**iD Additives**<sup>™</sup>

Connect With Us! Check Out Our YouTube Videos!

Unmatched Technical Support for Innovative Products!

iD Additives, Inc • 512 W Burlington Ave., La Grange, IL 60525 • (708) 588-0081 • iDadditives.com

# Design drives change.



## NEO • H

New Premium Two-platen IMM

The NEO · H series is the latest generation of two-platen machine by Tederic. A combination of broad experience and innovative patented technological developments results in the natural evolution of this premium two platen machine.

Excellent specifications, a standard electric screw drive, Industry 4.0 ready controller, and leading brand componentry, all used in conjunction with cutting-edge design, produce a machine that is perfect for even the most demanding applications.

Clamping Force: 550t – 7000t

Stable · Precise · Efficient · Energy-saving

#### Main application sectors








www.tedericglobal.com

Tederic North America

t: (941) 323-9081

e: info@tederic-na.com

Protection



# Ask for Clean Plast® Purge Compounds and newly released Mold Care Products!



"DON'T just purge to purge, PURGE TO CLEAN using the original *CLEAN PLAST*® purging compound. Contact me today to arrange for a FREE purge trial at your plant and see the difference a *CLEAN PLAST*® PURGE will make." – Rochelle Lemieux. President

- CLEAN PLAST® is safe to Purge through Hot Runners including pre-form molds!
- > CLEAN PLAST® is safe for all resins including PET Bottle grade.
- > CLEAN PLAST<sub>®</sub> has no harmful abrasives or solvents!
- **CLEAN PLAST**<sup>®</sup> ingredients are GRAS by the FDA.
- > CLEAN PLAST® cleans Screws, Barrels, Accumulators, Hot Runners and Stack Molds.
- > CLEAN PLAST<sub>®</sub> can be used in Injection Molding, Extrusion, and Blow Molding.







**MOLD CARE** 



Along with purging products, Clean Plast<sup>®</sup> also offers a line of mold care sprays that can be used for mold and tool applications. Our mold care products consist of: CPMC100 Mold Cleaner and Degreaser, our environmentally friendly CPMC101 Go Green® Mold Cleaner, CPMC200 Mold Rust Preventive, CPMC300 Heavy-Duty Mold Release, CPMC301 Food Safe Mold Release, and CPMC400 Silicone Mold Release. Contact us for more information and a free sample!

#### Visit us at: www.CLEANPLAST.com

A 100% Woman Owned Business

#### The perfect blend. Every time.

# On the fly Color Changes. PDQ.



There are a lot of features that distinguish a Plastrac blender, but none greater than the ability to change colors as often and as quickly as customer orders demand it. The secret is our patented level-sensing vane switch (standard on every single blender). Harried processors can hurry up color changes by swapping top castings without any need for cable removal.



#### 610-356-3000 • Plastrac.com

#### **Highest Conveying Capacity**

- Continuous push / pull conveying
- Plastic pellets, powders & fly ash
- Exclusive dual blower design
- Low temperature rise

\* \* \* \* U.S.A.

- Blow to silos / fill trucks & railcars
- Up to 135,000 lbs / hr thru 6" line

christia

Pneumatic Conveying Equipment

800-328-8896 www.christianson.com

# **Temperature Control Units**

Water Units : up to 300°F at 35-100 GPM Oil Units : up to 500°F at 20-100 GPM




Low capital investment, simple start up & operation, easy to maintain, microprocessor control instruments that are easy to read and understand, factory sales and service support along with new product warranties are the reasons why TempTek water and oil products are superior. Call now for Pricing & Delivery!

317-887-6352

www.TempTek.com \_\_\_\_\_ 525 East Stop 18 Road Greenwood Indiana 46143



#### www.irecyclingsolutions.com



## We are more than just a sales agency

Exclusive agency for select manufacturers of plastics recycling and extrusion systems, filtration systems, washing systems, drying and size reduction equipment. Quality and providing customized solutions are our strengths.



Innovative Recycling Solutions LLC, 59 Concourse Way, Building E, Greer, SC 29650 Tel. 864 675-0775 **TOLL FREE: 877 675-0775 office@irecyclingsolutions.com** 



Page 14 November 2021

**Plastics Hotline** 

# Level and Flow Solutions

For over 60 years, **Monitor Technologies, LLC** has been offering practical solutions for **level indication, continuous level measurement and solids flow monitoring** relating to the storage & processing of most plastic powder, granule, pellet & regrind materials.



# IN STOCK... READY TO SHIP! 2022 REPLACEMENT DATE PLUGS



Whether you are looking to reorder Progressive plugs from last year or have molds that contain plugs from other sources, we've got you covered.

- Largest selection of date marking parts in the world
- Plugs are etched for quick identification and reordering
- Compatible with US, Europe, and Asia standards

Give us a call at 1-800-269-6653 to order yours today.











Improving lives through manufacturing innovation. 1081 Bristol Road, Mountainside, NJ 07092 800-409-3000 • email: sales@njpt.com • www.njpt.com

# RAPASTAN

Go from this ...



www. rechner.com - 1-800-544-4106 - Sanborn, NY

Our mold management systems are designed to save you space, time and money.

Visit our website or give us a call to learn more about how we can help you with your die or mold management needs.

716-822-2804 | www.rapistak.com

#### **MORE THAN JUST STORAGE!**

- \* Manage your inventory
- \* Become better organized
- \* Protect your investment
- \* Maximize cube utilization
- \* Create a safer working environment





United Plastics, Inc. 1227 Garfield Avenue • Flint, MI 48505 PH: 810-238-2186 • FAX: 810-238-2273 email: roy@unitedplasticsinc.com www.unitedplasticsinc.com

#### **BUY/SELL:**

Plastic and surplus regrind, repro, virgin materials,dunnage, trays, pallets, crates, parts, sheet, pipe, purge

> SERVICES: Washing & Drying Capabilities, Toll Grinding 200,000 lbs. + per day

#### **Plastics** FREE subscription

Learn about:

- Industry news, trends and insights across all aspects of the plastics market.
- Read our digital issues online.
- Watch industry videos.
- Check out featured products being introduced into the market.
- Keep up with the latest auctions.

www.plasticshotline.com/subscribe

ACL**Staticide**.

## Topical Anti-Stats Static Control Insurance

 Prevent static electricity with easy-to-use topicals.
Cost-effective solutions for commercial, industrial, and institutional environments.

**ZSE-MAXX** 

Leistritz

Twin screw extruders

and systems

Higher torque & more free volumeScrew diameters from 12 to 260 mm

Fully equipped NJ process laboratory

Compounding · Devolatilization · REX · Direct extrusion · Foaming

sales@leistritz-extrusion.com / www.leistritz-extrusion.com

e-news

Twin Screw Report For more information on Leistritz Twin Screw Report e-tech newsletter

scan QR code

# IMPROVED PROCESS EFFICIENCY

#### DURABILITY Our extruders provide a greater stability and longer system life that help maintain a healthy bottom line.

OUALITY EXP Our years of experience are reflected in every filter that we build. This leads to a superior filter to anything else on the market.

EXPERTISE Our technological skills and expertise allow us to build the pelletzing die you need for your operation.



TECHNOLOGY

We have mastered the



EXTRUDERS • SCREEN CHANGERS • PELLETIZERS • AIR STRIPPERS • WATER BATHS



Berlyn CONTACT US TO SPEAK TO AN EXTRUSION EXPERT Working together to provide solutions today for tomorrow's demands

Worcester, MA, USA Phone: (508) 852-0040 www.berlynecm.com



REPS WANTED - PLEASE CONTACT US

www.PlasticsHotline.com

itaticide





**Plastics Hotline** 

# PRIMARY EQUIPMENT

#### MN Machinery Network

#### We specialize in buying and selling the following types of machinery:

- Injection Molding **Machines**
- Extruders and Related **Recycling Machinery**
- Blow Molders
- Auxiliary Equipment CNC and Conventional Metal Working Machines
- Water Jets
- And More

Call us at 818-465-6700 for a confidential evaluation of your machinery. We are interested in buying a single piece of machinery or your entire plant.

#### LISED MONTHLY SPECIALS

USED WOWTHLY SPECIALS			
1100 ton 296 oz	Husky	2001	
850 ton 181 oz	Cincinnati	199	
190 TON 19 oz	TOSHIBA	200	
176 ton 6.4 oz	ARBURG vertical	2014	
110 ton 3.2 oz	Toshiba electric	200	
100 ton 6.1 oz	NISSEI vertical	1999	
100 ton 5 oz	ENGEL	199	
38 ton 1.3 oz	DEMAG	200	
BLOW MOLDERS - STERLING AND			
CINCINNATI 20 LB TO 3 LB			
ROBOT - STAR	& YUSHIN AS NEW AS 20	12	
EXTRUDERS - 3" & 6" DAVIS STANDARD 1997			
GRANULATORS - 40 HP ,10 HP, 7.5 HP, 3 HP			
RAPID AS NEW	AS 2019		
DRYER - AEC A	ND DRI-AIR AS NEW AS 2	013	

M N Machinery Network

asticsales@machinerynetwork.com 818-465-6700 www.machinerynetwork.com





The Monthly Marketplace for Plastics Processing Equipment, Materials, Supplies and **Business Services** 

586-227-9344 www.plasticshotline.com

## **CUTTING EDGE KNIVES**


SPECIALISTS IN ALL MAKES AND MODELS OF KNIVES FOR THE PLASTIC INDUSTRY

\*Granulator Knives \*Under Water Pelletizer Knives \*Refurbish Your Grinders

\*Pelletizer Knives \*Pulverizer Discs \*Sharpening

\*Specialty Blades \*Granulator Screens \*Die Face Resurfacing

Call Today • 1-800-508-9701 • 412-279-9350 lorraine@cuttingedgeknife.com www.cuttingedgeknife.com



Plastics Hotline has created a special package and section in our February issue called "LEADERS IN PLASTICS." You receive year-round coverage with a mix of print, video exposure, and an enhanced Buyers' Guide profile - all for a great bundled price. You will reach 10,000 print subs, 25,000 digital subs with your ad and LEADERS IN PLASTICS STORY plus thousands of visitors to our website during the year to see your video and online profile.

Be part of our LEADERS IN PLASTICS, our signature supplier branding program. Don't miss this opportunity to position your company as a leader when visitors are searching for solution providers. This supplier branding program begins with February Web and print exposure. Included in this program are the following:

- Full page or ½ page ad in February.
- Full page or ½ page profile in February talking about how your company is a Leader in the Plastics Industry.
- Your video to put up on our website all year.
- We will print your Leaders in Plastics profile and distribute it at the major shows of the year.
- Recognition on our homepage with your company name and link which goes directly to your online profile.
- Company name and link on the LEADERS IN PLASTICS homepage that links to your online profile in our Buyer's Guide (100 word company description, 2 product images, one video, up to 3 press releases you have on our site).
- Leaders in Plastics house print ad containing your company logo announcing you are part of this program in 4 issues in the next 12 months.

Contact Lydia Stewart (lydia@plasticshotline.com) to participate.





PLASTICS HOTLINE A RDG Media, Inc. Publication P.O. Box 80915 Rochester, MI 48308

CALL 586-227-9344

Presorted Std US Postage PAID RDG Media, Inc.

#### Tel: 847-439-2126 • Fax: 847-439-0917

www.bladesmachinery.com e-mail: blades@bladesmachinery.com

MACHINERY DEALERS NATIONAL ASSOCIATION

#### THE GRANULATOR SUPERSTORE®

•(3) Nelmor 3036, 3048, 3030TF

•(1) Condux CV-50 Compactor

•(2) Cumberland 3250

#### GRANULATORS

BLADE

Machinery Co., Inc.

- •(6) Wortex UP-730, 735, 755HS
- •(3) Cumberland 30T, 56T
- •(3) Rapid CR-66
- Cumberland GP810
- •(65) 8x10 Nelmor 5 HP
- •(20) 9x12 Rapid 7.5 HP
- •(2) Cumberland Model 18, 20
- •(40) 10x12 Nelmor 10 HP
- •(10) B&J BP27, BP32
- •(6) Cumberland 1215
- •(110) Nelmor 1215, 1220
- •(1) B&J 1248 w/Feed Rolls
- •(5) Conair CG1418, 1424
- •(1) Rapid 1418K
- •(2) 14x20 Cumberland 20 HP
- •(14) Cumberland 284, 484, 584, 684
- •(4) Cumberland 1426I, 60 HP
- •(5) Nelmor 1436 w/Feedrolls, 1454
- •(6) 24B Cumberland 75 HP
- •(4) Cumberland 1456
- •(8) Cumberland 1616, 1620, 1628
- •(6) Nelmor 1620, 1624, 1628
- •(4) 28B Cumberland 75 HP
- •(7) Rapid 1824, 1831, W-1836
- •(4) Nelmor 1820, 2020
- •(2) Cumberland 1836
- •(8) 37B Cumberland 37H
- •(3) CMG 1842I
- •(1) Granutech 2048, 100HP
- •(2) Cumberland 50B, 72B
- •(2) Cumberland 2428I
- •Cumberland Model 80,81
- •Foremost HD-7
- •(5) Rapid Model 2442R, M, H
- •Ball & Jewel 3030 (100 HP)
- •26x80 Condux 150 HP
- SHREDDERS •(1) Vecoplan RG62 •(2) ShredTech ST 10, ST 25, 24" x 50" •ShredPax AZ-80 THERMOFORMING LINES •(1) Brown CS-4500, 1995 w/ Trim Press •Brown Trim Presses: T-301, T-340, T-360 •Lvle 40"x40", 50"x50" TEMP. CTRL., UNITS CHILLERS •(7) Sterlco 12 KW Oil Unit •(6) Thermocare 2, 3 Ton •Advantage 12KW Oil, 10 KW Water PELLETIZERS •(12) Cumberland 6", 8", 11", 14", 20" •(3) Conair T208 •(3) Automatik Sphero 220 •(1) Sheer Bay B20-P long cut DRYERS •(1) Carter Day Spin Dryers •(25) Conair CD30, CD100, CS101, CD-200, CD-300, CD-600 •(1) Novatec Novadrier N-150R Unitized •Una-Dyne DHD-8, DHD-25 w/Hoppers •(1) Novatec MPC 1000 Dryer EXTRUDERS AND LINES •(5) 1" Wayne Extruder, Killion •(3) Davis Standard 1 1/2" Extruders •(3) Davis Standard 2.5" 32:1, 24:1 •Davis Standard 3" 24:1, 30:1 •Davis Standard 3 1/2" 30:1 Extruder •3 1/2" Egan Extruder 30:1 •6" CDL Extruder, Vented, 30:1
  - •6 1/2" Davis Standard 27:1, 1999
  - •(60) Sheet Dies 4"-89" Width

- •(6) EDI 20" PVC Siding Dies
  - •Davis Standard 52" 18x30x30 Roll Stack
  - •24"x50" PTI Roll Stack
  - •6" 30:1 Prodex
- •78" PTI Sheet Line
- •Davis Standard 4 1/2" 24:1
- JUST ARRIVED:
- •(3) 250 Cubic Feet, SS Ribbon Blenders
- •Cumberland 1628 FX, 40 HP
- •W&P 20mm, 40mm, 50mm & 83mm Twinscrew Extruders
- •Rapid 10x18 w/ Conveyor
- •Parkinson Series 50, 60" Winder
- •(2) Crown Spin Dryers
- •Rapid 1831K 50HP
- •Sweco SS Screener, 18" 30"
- •1 1/2" Davis Standard
- •H.C. Davis, HD-5 Blender, SS
- •Davis Standard 1 1/2" Rubber Extruder
- •Cumberland 284 w/Feedrolls
- •ShredTec 30"x52" Shredder
- •Gala/Leistritz Extruder 27mm
- Berstorff 25mm Extruder
- •(5) Witte Screeners
- •200 HP Champion Hammermill
- Sprout SW26 Pelletmill
- •CME C5 Cooler
- •Herbold SMS 45/160 H5-2
- •Cumberland 56U, 30 HP
- •(1) Procedyne TCF-2430 FD
- •Rosenthal Sheeters 36", 60", 72"
- Pallman PP8 Pulverizer
- PIPE & PROFILE EQUIPMENT
- •S.I.C.A. 10" Planetary Saw
- Battenfeld Upcut Saw
- •Battenfeld 6"x56" Puller
- •(5) Vacumm Tanks